Author Index of Volume 196

Ahn, H.-J., 45
Albering, J. H., 111
Ananthapadmanabhan, P. V., 251
Azenha, M. E., 81

Baggio-Saitovitch, E., 177
Bai, H. Y., 37
Balasubramaniam, R., 63
Baťko, I., 133
Beiter, T. A., 1
Bittermann, H., 53
Blasse, G., 81
Böhm, A., L11
Bowers, J. S., 1
Brisson, C., 149
Bulbich, A. A., 29
Buschow, K. H. J., L1

Cantrell, J. S., 1
Cao, L., 183
Cassart, M., 149
Chen, Y., 183
Chevalier, B., 149
Choppin, G. R., 17
Christodoulou, C. N., 155, 161
Cichorek, T., L3
Colin, D., 127
Czapla, Z., 255

De Sá, G. F., 17

Ellner, M., 207
Etourneau, J., 149
Eyßler, I., 241

Fang, X., L15
Feltz, A., 75
Flachbart, K., 133
Flanagan, T. B., 7
Fornasini, M. L., 145
François, M., 235
Fruchart, D., 127
Fuger, J., 87

Genoud, J.-Y., 235
Gnatenko, M. V., 41
Gong, H., 183
Graf, T., 235
Greis, O., 121
Grin, Yu. N., 207
Gutfleisch, O., L19

Harris, I. R., L19
Hayashi, Y., 213
Hejtmánek, J., 149
Henkie, Z., L3
Herzog, G., 241
Hiebl, K., 207
Hulliger, F., 225

Ibberson, R. M., L1
Issi, J. P., 149
Iyer, K. V., 251

Janczak, J., 117, 255
Jeitschko, W., 105, 111, 173, 199
Junod, A., 235

Kaczmarska, K., 165
Kaczorowski, D., L11, 111
Kahnert, G. E., 199
Kamada, K., 71
Kaneko, H., 71
Katsura, M., 191
Kim, Y.-G., 45
Kise, S., 71
Klepp, K. O., 25
Koike, U., 71
Kong, L., 183
Kopecky, K., 53
Kubiak, R., 117
Kurino, T., 71

Lee, J.-Y., 45
Lefort, P., 137
Liu, B. X., 37
Lorthioir, G., 127
Luo, W., 7

Maienschein, J. L., 1
Marinitch, M. A., 93
Marx, V., 121
Maťaš, S., 133
Matsumura, Y., 71
Meisen, U., 105
Merlo, F., 145
Moze, O., L1
Muller, J., 235
Mungole, M. N., 63

Noh, H., 7
Nötzold, D., 241
Nunes, L. H. A., 17

Ochin, P., 127
Okuno, K., 213
Opagiste, C., 235
Orman, H. B., 41
Ou, X., L15

Paderno, Yu. B., 133
Pani, M., 145
Petrova, R., 59
Petzel, T., 121
Pierre, J., 165
Pollmeier, P. G., 105
Popovich, A. A., 97
Pöttgen, R., 111, 173

Qiu, Q. L., 37

Radev, D. D., 93
Rai, K. N., 63
Rebizant, J., 87
Rizzo Assunção, F. C., 177
Rogl, P., 207

Sari, C., 87
Serizawa, H., 191
Sha, W., L7
Shen, B., 183
Shen, Z., 229
Shicevalova, N. Yu., 133
Shu, W. M., 213
Skolozdra, R. V., 165
Slebarski, A., 165
Song, L., 229
Soubeyroux, J. L., 127
Spirlet, J. C., 87
Sreekumar, K. P., 251
Steglich, F., L11
Suzuki, T., 71

Takeshita, T., 155, 161
Tomiska, J., 53
Töpfer, J., 75
Tran, V. H., 219
Tressaud, A., 149
Triscone, G., 235
Tristant, P., 137
Troć, R., 219

Uchida, H., 71
Uchida, H.-H., 71
Udod, I. A., 41

Venkatramani, N., 251
Verdier, M., L19
Vomhof, T., 173

Walker, C. T., 87
Wang, Z.-M., 17
Waśkowska, A., 255
Wastin, F., 87
Weber, G., L11

Xia, S. K., 177
Xiao, P., 229

Yanagisawa, T., 71
Yang, H., 229

Zachwieja, U., 171, 187
Zakhariev, Z., 59
Zakhariev, Z. T., 93
Zhang, Z. J., 37
Zhao, J., 183
Zhao, M., 229
Zhou, W., 229
Zhou, H., L15
Zhuang, Y., L15
Ziel, R., 121
Żołnierek, Z., 219

Elsevier Sequoia

Journal of Alloys and Compounds, 196 (1993) 261–264

Subject Index of Volume 196

Absorption
  synthesis, characterization, spectroscopic and photophysical studies of ternary complexes of Eu(III) with 3-amino-pyrazine-2-carboxylic acid (HL) and heterobiaryl ligands (2,2′-bipyridine and 1,10-phenanthroline), 17
Actinides
  new transuranium intermetallic compounds with $ThCr_2Si_2$- and $CaBe_2Ge_2$-type structures, 87
Actinoids
  structure refinements of actinoid transition metal stannides $AnT_{2-x}Sn_{2-y}$ (An ≡ Th, U; T ≡ Co, Ni, Cu) with defect $CaBe_2Ge_2$-type structure, 111
Alkaline earths
  RMX compounds formed by alkaline earths, europium and ytterbium. III. Ternary phases with M ≡ Mg, Hg and X ≡ Si, Ge, Sn, Pb, 145
Aluminides
  on new ternary aluminides LnPdAl and LnPtAl, 225
Aluminium
  hydriding properties of $MmNi_5$ system with aluminium, manganese and tin substitutions, 63
Ammonia
  reaction of uranium with ammonia, 191
Annealing
  the effect of annealing pretreatment of Pd–Rh alloys on their hydrogen solubilities and thermodynamic parameters for H_2 solution, 7
  $Dy_{10.14}Mn_{12.86}C_{18}$, $Yb_{10.09}Mn_{12.91}C_{18}$ and other rare earth manganese carbides with a structure derived from that of α-Mn, 199
Antiferromagnetism
  transition from antiferromagnetism, through ferromagnetic spin fluctuations to the Kondo state in $UPd_{5-x}Au_x$, 219
Arc melting
  ^{57}Fe Mössbauer investigation of carbides $Gd_2Fe_{17}C_x$, 183
  $Dy_{10.14}Mn_{12.86}C_{18}$, $Yb_{10.09}Mn_{12.91}C_{18}$ and other rare earth manganese carbides with a structure derived from that of α-Mn, 199

Barium
  calcium substitution in the $Y_2Ba_4Cu_7O_{15+\delta}$ superconducting phase, 235
Beryllium hydride
  reactions of lithium hydride and beryllium hydride: thermal studies and identification of products, 1
Bismuth
  rietveld X-ray powder analysis of InBi crystalline structure at low temperatures, 117
Boron carbide
  corrosion resistance of B_4C–Me_xB_y composite materials, 93

Calcium
  calcium substitution in the $Y_2Ba_4Cu_7O_{15+\delta}$ superconducting phase, 235
Carbides
  ^{57}Fe Mössbauer investigation of carbides $Gd_2Fe_{17}C_x$, 183
Chemical analysis
  synthesis, characterization, spectroscopic and photophysical studies of ternary complexes of Eu(III) with 3-amino-pyrazine-2-carboxylic acid (HL) and heterobiaryl ligands (2,2′-bipyridine and 1,10-phenanthroline), 17
Chromium
  the structural relaxation of $Cr_{65}Fe_{35}$ amorphous powder obtained by mechanical milling, 177
Conductivity
  investigations on electronically conducting oxide systems XXVI. Preparation and properties of Ni_6MnO_8 and $NiMnO_{3-\delta}$ ($\delta \approx 0.02$), 75
Corrosion resistance
  corrosion resistance of B_4C–Me_xB_y composite materials, 93
Crystal chemistry
  crystal chemistry of the halite-related cation-deficient superstructure phase $Yb_{7+\delta}Se_8$ with $\delta = 0.24$ and its relation to YbSe, 121
  new ytterbium compounds with the $BaAl_4$ type of structure: crystal chemistry and magnetic properties of $Yb(Cu,Ag,Au,Pd,Pt)_xGa_{4-x}$, 207
Crystal fields
  magnetic properties and resistivity of CeM_2X_2 compounds (M ≡ Cu, Ni; X ≡ Sn, Sb), 165
Crystal growth
  crystal growth and in-plane thermopower of $Nd_{2-x}Th_xCuO_{4-\delta}$, L3
Crystal structure
  crystal structure of diguanidine hexachlorate tellurate(IV), 255

Deuterium
  ion-driven permeation of deuterium in Fe–Ti alloys, 213
Ductile properties
  effect of dissolved hydrogen on the ductile properties of metals as a result of nucleation on dislocations, 29

Electrical resistance
  magnetic phase transitions in TmB_{12} and HoB_{12}, 133
Electrical resistivity
  magnetic and phase transitions and HDDR processes in NdFeB-type alloys monitored by electrical resistivity measurements, L19
  transition from antiferromagnetism, through ferromagnetic spin fluctuations to the Kondo state in $UPd_{5-x}Au_x$, 219
Europium
  synthesis, characterization, spectroscopic and photophysical studies of ternary complexes of Eu(III) with 3-amino-pyrazine-2-carboxylic acid (HL) and heterobiaryl ligands (2,2′-bipyridine and 1,10-phenanthroline), 17
  on the uranyl luminescence in phosphates, 81
  RMX compounds formed by alkaline earths, europium and ytterbium III. Ternary phases with M ≡ Mg, Hg and X ≡ Si, Ge, Sn, Pb, 145

Ferromagnetism
  transition from antiferromagnetism, through ferromagnetic spin fluctuations to the Kondo state in $UPd_{5-x}Au_x$, 219

Gas phase reactions
  gas phase reactions during simultaneous boronizing and aluminizing of steels, 59

Gold
structure determination of $NaAu_2$ — a new synthesis of alkali metal–gold compounds, 171
single-crystal data and structure determination of KAu_5 and $RbAu_5$, 187
Grain boundaries
Configuration of a large angle twist boundary in a bulk $YBa_2Cu_3O_{7-x}$ superconductor, L7

HDDR processes
magnetic and phase transitions and HDDR processes in NdFeB-type alloys monitored by electrical resistivity measurements, L19
sm_2Fe_{17}-nitride-based permanent magnets produced by the hydrogenation–decomposition–desorption–recombination (HDDR) process, 155
Heat capacity
heat capacity of $UCuP_2$ and $UCuAs_2$ single crystals, L11
High pressure
phase diagrams of ternary alloy systems at high pressure, 229
High temperature
configuration of a large angle twist boundary in a bulk $YBa_2Cu_3O_{7-x}$ superconductor, L7
Holmium
partial room temperature isothermal section of the Fe–Ho–Ni ($Ho \leqslant 33.3$ at.%) system, L15
Hydrides
structural study of the hydrides $NiTiH_x$ ($x = 1.0$ and 1.4), 127
Hydriding
hydriding properties of $MmNi_5$ system with aluminium, manganese and tin substitutions, 63
Hydrogen
effect of dissolved hydrogen on the ductile properties of metals as a result of nucleation on dislocations, 29
Hydrogenation
structural changes of the Laves phase $ErFe_2$ during static and cyclic hydrogenation treatments, 45

Indium
rietveld X-ray powder analysis of InBi crystalline structure at low temperatures, 117
Intermetallic compounds
new transuranium intermetallic compounds with $ThCr_2Si_2$- and $CaBe_2Ge_2$-type structures, 87
Iron
partial room temperature isothermal section of the Fe–Ho–Ni ($Ho \leqslant 33.3$ at.%) system, L15
reaction kinetics of N_2 absorption by Sm_2Fe_{17}, 71
Sm_2Fe_{17}-nitride-based permanent magnets produced by the hydrogenation–decomposition–desorption–recombination (HDDR) process, 155
Sm_2Fe_{17}-nitride-based permanent magnets produced by rapid solidification, 161
the structural relaxation of $Cr_{65}Fe_{35}$ amorphous powder obtained by mechanical milling, 177
ion-driven permeation of deuterium in Fe–Ti alloys, 213

Kinetics
a scientific approach of the carbothermal reduction of titanium dioxide, 137

Laves phases
structural changes of the Laves phase $ErFe_2$ during static and cyclic hydrogenation treatments, 45

Liquids
thermodynamics of liquid nickel–palladium alloys by computer-aided Knudsen cell mass spectrometry, 53
Lithium
liquid phase interaction of lithium with potassium–mercury graphite intercalation compounds, 41
Lithium hydride
reactions of lithium hydride and beryllium hydride: thermal studies and identification of products, 1
Luminescence
on the uranyl luminescence in phosphates, 81
on the luminescence of coactivated yttriumorthoborate, 241

Magnetic ordering
on new ternary aluminides LnPdAl and LnPtAl, 225
Magnetic properties
magnetic and phase transitions and HDDR processes in NdFeB-type alloys monitored by electrical resistivity measurements, L19
magnetic phase transitions in TmB_{12} and HoB_{12}, 133
magnetic properties and resistivity of CeM_2X_2 compounds ($M \equiv Cu, Ni$; $X \equiv Sn, Sb$), 165
magnetic properties of the ternary uranium transition metal carbides $UCrC_2$, UCr_4C_4, UW_4C_4, $U_5Re_3C_8$ and U_2NiC_3, 173
new ytterbium compounds with the $BaAl_4$ type of structure: crystal chemistry and magnetic properties of $Yb(Cu,Ag,Au,Pd,Pt)_xGa_{4-x}$, 207
Manganese
hydriding properties of $MmNi_5$ system with aluminium, manganese and tin substitutions, 63
the ternary system uranium–manganese–phosphorus: $U_2Mn_{12}P_7$ with $Zr_2Fe_{12}P_7$-type structure and isotypic phosphides $A_2Mn_{12}P_7$ ($A \equiv Sc, Sm, Gd–Lu, Th$) and $U_2T_{12}P_7$ ($T \equiv Fe, Co, Ni$), 105
Manganese carbides
$Dy_{10.14}Mn_{12.86}C_{18}$, $Yb_{10.09}Mn_{12.91}C_{18}$ and other rare earth manganese carbides with a structure derived from that of α-Mn, 199
Mass spectrometry
thermodynamics of liquid nickel–palladium alloys by computer-aided Knudsen cell mass spectrometry, 53
Mechanical milling
the structural relaxation of $Cr_{65}Fe_{35}$ amorphous powder obtained by mechanical milling, 177
Mercury
liquid phase interaction of lithium with potassium–mercury graphite intercalation compounds, 41
Metal halogenides
crystal structure of diguanidine hexachlorate tellurate(IV), 255
Mössbauer spectra
^{57}Fe Mössbauer investigation of carbides $Gd_2Fe_{17}C_x$, 183

Neutron diffraction
neutron diffraction investigation of V site preference in $RCo_{10}V_2$ compounds, L1
Nickel
partial room temperature isothermal section of the Fe–Ho–Ni ($Ho \leqslant 33.3$ at.%) system, L15
thermally induced transition from metastable Ni–Nb hexagonal phase to amorphous and its thermodynamic interpretation, 37
thermodynamics of liquid nickel–palladium alloys by computer-aided Knudsen cell mass spectrometry, 53

the ternary system uranium–manganese–phosphorus: $U_2Mn_{12}P_7$ with $Zr_2Fe_{12}P_7$-type structure and isotypic phosphides $A_2Mn_{12}P_7$ (A ≡ Sc, Sm, Gd–Lu, Th) and $U_2T_{12}P_7$ (T ≡ Fe, Co, Ni), 105
structural study of the hydrides $NiTiH_x$ ($x = 1.0$ and 1.4), 127
Niobium
thermally induced transition from metastable Ni–Nb hexagonal phase to amorphous and its thermodynamic interpretation, 37
Nitrides
Sm_2Fe_{17}-nitride-based permanent magnets produced by the hydrogenation–decomposition–desorption–recombination (HDDR) process, 155
Nitrogen
reaction kinetics of N_2 absorption by Sm_2Fe_{17}, 71
Nucleation
effect of dissolved hydrogen on the ductile properties of metals as a result of nucleation on dislocations, 29

Oxides
investigations on electronically conducting oxide systems XXVI. Preparation and properties of Ni_6MnO_8 and $NiMnO_{3-\delta}$ ($\delta \approx 0.02$), 75
a scientific approach of the carbothermal reduction of titanium dioxide, 137
correlations between superconducting properties and chemical homogeneity of samples in the $La_{1.85-x}Nd_xSr_{0.15}CuO_4$ system, 149

Palladium
the effect of annealing pretreatment of Pd–Rh alloys on their hydrogen solubilities and thermodynamic parameters for H_2 solution, 7
thermodynamics of liquid nickel–palladium alloys by computer-aided Knudsen cell mass spectrometry, 53
Permanent magnets
Sm_2Fe_{17}-nitride-based permanent magnets produced by the hydrogenation–decomposition–desorption–recombination (HDDR) process, 155
Sm_2Fe_{17}-nitride-based permanent magnets produced by rapid solidification, 161
Permeation
ion-driven permeation of deuterium in Fe–Ti alloys, 213
Phase diagrams
partial room temperature isothermal section of the Fe–Ho–Ni (Ho ⩽ 33.3 at.%) system, L15
phase diagrams of ternary alloy systems at high pressure, 229
Phase transitions
magnetic and phase transitions and HDDR processes in NdFeB-type alloys monitored by electrical resistivity measurements, L19
magnetic phase transitions in TmB_{12} and HoB_{12}, 133
crystal structure of diguanidine hexachlorate tellurate(IV), 255
Phosphates
on the uranyl luminescence in phosphates, 81
Phosphorus
the ternary system uranium–manganese–phosphorus: $U_2Mn_{12}P_7$ with $Zr_2Fe_{12}P_7$-type structure and isotypic phosphides $A_2Mn_{12}P_7$ (A ≡ Sc, Sm, Gd–Lu, Th) and $U_2T_{12}P_7$ (T ≡ Fe, Co, Ni), 105
Platinum
on new ternary aluminides LnPdAl and LnPtAl, 225
Potassium
liquid phase interaction of lithium with potassium–mercury graphite intercalation compounds, 41

Rapid solidification
Sm_2Fe_{17}-nitride-based permanent magnets produced by rapid solidification, 161
Reaction rates
reaction kinetics of N_2 absorption by Sm_2Fe_{17}, 71
Resistivity
magnetic properties and resistivity of CeM_2X_2 compounds (M ≡ Cu, Ni; X ≡ Sn, Sb), 165
Rhodium
the effect of annealing pretreatment of Pd–Rh alloys on their hydrogen solubilities and thermodynamic parameters for H_2 solution, 7
Rietveld method
neutron diffraction investigation of V site preference in $RCo_{10}V_2$ compounds, L1
Rietveld X-ray powder analysis of InBi crystalline structure at low temperatures, 117

Samarium
reaction kinetics of N_2 absorption by Sm_2Fe_{17}, 71
Sm_2Fe_{17}-nitride-based permanent magnets produced by the hydrogenation–decomposition–desorption–recombination (HDDR) process, 155
Sm_2Fe_{17}-nitride-based permanent magnets produced by rapid solidification, 161
Scanning electron microscopy
microstructure and properties of titanium carbide and titanium carbide-based alloys obtained by tribochemical synthesis, 97
Single crystals
single-crystal data and structure determination of KAu_5 and $RbAu_5$, 187
Sodium
structure determination of $NaAu_2$ — a new synthesis of alkali metal–gold compounds, 171
Spin fluctuations
transition from antiferromagnetism, through ferromagnetic spin fluctuations to the Kondo state in $UPd_{5-x}Au_x$, 219
Steels
gas phase reactions during simultaneous boronizing and aluminizing of steels, 59
Strain
structural changes of the Laves phase $ErFe_2$ during static and cyclic hydrogenation treatments, 45
Superconductivity
calcium substitution in the $Y_2Ba_4Cu_7O_{15+\delta}$ superconducting phase, 235
configuration of a large angle twist boundary in a bulk $YBa_2Cu_3O_{7-x}$ superconductor, L7
correlations between superconducting properties and chemical homogeneity of samples in the $La_{1.85-x}Nd_xSr_{0.15}CuO_4$ system, 149

Thallium
$Tl_2Pt_5S_6$ — a new thioplatinate with a channel-type structure, 25
Thermal analysis
reactions of lithium hydride and beryllium hydride: thermal studies and identification of products, 1

Thermal decomposition
investigations on electronically conducting oxide systems XXVI. Preparation and properties of Ni_6MnO_8 and $NiMnO_{3-\delta}$ ($\delta \approx 0.02$), 75
Thermal dissociation
plasma thermal dissociation of Indian zircon, 251
Thermodynamics
the effect of annealing pretreatment of Pd–Rh alloys on their hydrogen solubilities and thermodynamic parameters for H_2 solution, 7
thermally induced transition from metastable Ni–Nb hexagonal phase to amorphous and its thermodynamic interpretation, 37
thermodynamics of liquid nickel–palladium alloys by computer-aided Knudsen cell mass spectrometry, 53
crystal chemistry of the halite-related cation-deficient superstructure phase $Yb_{7+\delta}Se_8$ with $\delta = 0.24$ and its relation to YbSe, 121
reaction of uranium with ammonia, 191
Thermopower
crystal growth and in-plane thermopower of $Nd_{2-x}Th_xCuO_{4-\delta}$, L3
Thioplatinates
$Tl_2Pt_5S_6$ — a new thioplatinate with a channel-type structure, 25
Ti carbide
microstructure and properties of titanium carbide and titanium carbide-based alloys obtained by tribochemical synthesis, 97
a scientific approach of the carbothermal reduction of titanium dioxide, 137
Tin
hydriding properties of $MmNi_5$ system with aluminium, manganese and tin substitutions, 63
structure refinements of actinoid transition metal stannides $AnT_{2-x}Sn_{2-y}$ (An ≡ Th, U; T ≡ Co, Ni, Cu) with defect $CaBe_2Ge_2$-type structure, 111
Titanium
structural study of the hydrides $NiTiH_x$ ($x = 1.0$ and 1.4), 127
ion-driven permeation of deuterium in Fe–Ti alloys, 213
Transition metal carbide
magnetic properties of the ternary uranium transition metal carbides $UCrC_2$, UCr_4C_4, UW_4C_4, $U_5Re_3C_8$ and U_2NiC_3, 173
Transition metals
heat capacity of $UCuP_2$ and $UCuAs_2$ single crystals, L11
Transition metal stannides
structure refinements of actinoid transition metal stannides $AnT_{2-x}Sn_{2-y}$ (An ≡ Th, U; T ≡ Co, Ni, Cu) with defect $CaBe_2Ge_2$-type structure, 111

Uranium
the ternary system uranium–manganese–phosphorus: $U_2Mn_{12}P_7$ with $Zr_2Fe_{12}P_7$-type structure and isotypic phosphides $A_2Mn_{12}P_7$ (A ≡ Sc, Sm, Gd–Lu, Th) and $U_2T_{12}P_7$ (T ≡ Fe, Co, Ni), 105
structure refinements of actinoid transition metal stannides $AnT_{2-x}Sn_{2-y}$ (An ≡ Th, U; T ≡ Co, Ni, Cu) with defect $CaBe_2Ge_2$-type structure, 111
magnetic properties of the ternary uranium transition metal carbides $UCrC_2$, UCr_4C_4, UW_4C_4, $U_5Re_3C_8$ and U_2NiC_3, 173
reaction of uranium with ammonia, 191

Vanadium
neutron diffraction investigation of V site preference in $RCo_{10}V_2$ compounds, L1

X-ray diffraction
on the luminescence of coactivated yttriumorthoborate, 241

Ytterbium
RMX compounds formed by alkaline earths, europium and ytterbium III. Ternary phases with M ≡ Mg, Hg and X ≡ Si, Ge, Sn, Pb, 145
$Dy_{10.14}Mn_{12.86}C_{18}$, $Yb_{10.09}Mn_{12.91}C_{18}$ and other rare earth manganese carbides with a structure derived from that of α-Mn, 199
new ytterbium compounds with the $BaAl_4$ type of structure: crystal chemistry and magnetic properties of $Yb(Cu,Ag,Au,Pd,Pt)_xGa_{4-x}$, 207
Ytterbium selenide
crystal chemistry of the halite-related cation-deficient superstructure phase $Yb_{7+\delta}Se_8$ with $\delta = 0.24$ and its relation to YbSe, 121
Yttrium
calcium substitution in the $Y_2Ba_4Cu_7O_{15+\delta}$ superconducting phase, 235
Yttriumorthoborate
on the luminescence of coactivated yttriumorthoborate, 241

Zirconia
plasma thermal dissociation of Indian zircon, 251